acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: June 30, 2017

Revision: June 30, 2017

1 Identification

- · Product identifier
- · Trade name: Air Tool Oil
- · Article number: 14-760
- · Recommended use and restriction on use
- · Recommended use: Lubricating oil
- · Restrictions on use: No relevant information available.

· Details of the supplier of the Safety Data Sheet

- Manufacturer/Supplier: 31 Incorporated 100 Enterprise Dr. Newcomerstown, OH 43832 Phone: (740) 498-8324
- Emergency telephone number: ChemTel Inc. (800)255-3924 (North America)
- +1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

STOT RE 1 H372 Causes damage to the central nervous system through prolonged or repeated exposure.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:



· Signal word: Danger

· Hazard statements:

H372 Causes damage to the central nervous system through prolonged or repeated exposure. H304 May be fatal if swallowed and enters airways.

- · Precautionary statements:
- P260 Do not breathe mist/vapors/spray.
- P264 Wash thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
- P314 Get medical advice/attention if you feel unwell.
- P331 Do NOT induce vomiting.
- P405 Store locked up.

(Cont'd. on page 2)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: June 30, 2017

Trade name: Air Tool Oil

Revision: June 30, 2017

(Cont'd. of page 1) with local/regional/national/international

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:

•	
64741-89-5 Distillates (petroleum), solvent-refined light paraffinic	50-100%
🐼 Asp. Tox. 1, H304	
64742-82-1 Naphtha (petroleum), hydrodesulfurized heavy	10-25%
🐼 STOT RE 1, H372; Asp. Tox. 1, H304	
· Additional information: For the wording of the listed Hazard Statements refer to section 16.	

4 First-aid measures

Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: Supply fresh air; consult doctor in case of complaints. In case of irregular breathing or respiratory arrest provide artificial re-
- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After skin contact: Immediately rinse with water.

Seek medical treatment in case of complaints.

· After eye contact:

Rinse opened eye for several minutes under running water.

Remove contact lenses if worn.

Seek medical treatment in case of complaints.

· After swallowing:

Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help.

A person vomiting while lying on their back should be turned onto their side.

- Most important symptoms and effects, both acute and delayed:
- Coughing, dizziness, if inhaled. Breathing difficulty Disorientation

· Danger:

Danger of impaired breathing.

May be fatal if swallowed and enters airways.

Causes damage to the central nervous system through prolonged or repeated exposure.

Indication of any immediate medical attention and special treatment needed:

If swallowed, gastric irrigation with added, activated carbon.

If swallowed or in case of vomiting, danger of entering the lungs.

If necessary oxygen respiration treatment.

(Cont'd. on page 3)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: June 30, 2017

Revision: June 30, 2017

Trade name: Air Tool Oil

(Cont'd. of page 2)

Later observation for pneumonia and pulmonary edema.

5 Fire-fighting measures

· Extinguishing media

• Suitable extinguishing agents: Use fire fighting measures that suit the environment.

- For safety reasons unsuitable extinguishing agents: Water stream.
- Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.
- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

· Handling

- Precautions for safe handling:
- Prevent formation of aerosols.
- Avoid splashes or spray in enclosed areas.
- Use only in well ventilated areas.
- \cdot Information about protection against explosions and fires:

Fumes can combine with air to form an explosive mixture.

· Conditions for safe storage, including any incompatibilities

- · Storage
- Requirements to be met by storerooms and receptacles: Provide ventilation for receptacles. Avoid storage near extreme heat, ignition sources or open flame.
- Information about storage in one common storage facility: Store away from foodstuffs.

(Cont'd. on page 4)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: June 30, 2017

Revision: June 30, 2017

Trade name: Air Tool Oil

(Cont'd. of page 3)

• Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Keep containers tightly sealed.

· Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

· Control parameters

• Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.			
 Exposure controls Personal protective equipment: General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Engineering controls: Provide adequate ventilation. Breathing equipment: Not required under normal conditions of use. For spills, respiratory protection may be advisable. Protection of hands: Not required under normal conditions of use. For spills, respiratory protection may be advisable. Engineering control conditions of use. For spills, respiratory protection may be advisable. Protection of hands: Not required under normal conditions of use. Protection may be required for spills. Eye protection: Follow relevant national guidelines concerning the use of protective eyewear. 			
 Safety glasses Body protection: Not required under normal conditions of use. Protection may be required for spills. Limitation and supervision of exposure into the environment No relevant information available. Risk management measures No relevant information available. 9 Physical and chemical properties Information on basic physical and chemical properties 			
Information on basic physical and chemical properties Appearance:			

Form:

Color: · Odor:

Liquid Amber colored Petroleum-like

(Cont'd. on page 5)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: June 30, 2017

Revision: June 30, 2017

Trade name: Air Tool Oil

	(Cont'd. of page
· Odor threshold:	Not determined.
· pH-value:	Not determined.
 Melting point/Melting range: 	Not determined.
· Boiling point/Boiling range:	Not determined.
· Flash point:	>204 °C (>399 °F)
· Flammability (solid, gaseous):	Not applicable.
· Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
· Danger of explosion:	Product is not explosive. However, formation of explosive a vapor mixtures are possible.
· Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not determined.
· Density:	Not determined.
· Relative density:	Not determined.
Vapor density:	Not determined.
Evaporation rate:	Not determined.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wa	ter): Not determined.
· Viscosity	
Dynamic:	Not determined.
Kinematic at 100 °C (212 °F):	7 mm²/s
 Other information 	No relevant information available.

10 Stability and reactivity

- · Reactivity: No relevant information available.
- Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.
- Possibility of hazardous reactions
 Toxic fumes may be released if heated above the decomposition point.

 Conditions to avoid
 Keep supply from best and direct cuplicity
- Keep away from heat and direct sunlight. Store away from oxidizing agents.
- \cdot Incompatible materials Oxidizing agents
- Hazardous decomposition products Carbon monoxide and carbon dioxide

(Cont'd. on page 6)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: June 30, 2017

Trade name: Air Tool Oil

Revision: June 30, 2017

(Cont'd. of page 5)

Sulfur oxides (SOx)

11 Toxicological information

· Information on toxicological effects

- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- · On the eye: Based on available data, the classification criteria are not met.
- · Sensitization: No sensitizing effects known.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- · Acute effects (acute toxicity, irritation and corrosivity): No relevant information available.
- Repeated dose toxicity: Danger of very serious irreversible effects.
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.

· STOT-repeated exposure:

Causes damage to the central nervous system through prolonged or repeated exposure.

• Aspiration hazard: May be fatal if swallowed and enters airways.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

(Cont'd. on page 7)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: June 30, 2017

Revision: June 30, 2017

Trade name: Air Tool Oil

(Cont'd. of page 6)

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, ADR, IMDG, IATA	Not regulated.	
UN proper shipping name DOT, ADR, IMDG, IATA	Not regulated.	
Transport hazard class(es)		
DOT, ADR, IMDG, IATA		
Class	Not regulated.	
Packing group		
DOT, ADR, IMDG, IATA	Not regulated.	
Environmental hazards		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
· Transport in bulk according to Annex	Il of	
MARPOL73/78 and the IBC Code	Not applicable.	

(Cont'd. on page 8)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: June 30, 2017

Revision: June 30, 2017

Trade name: Air Tool Oil

(Cont'd. of page 7)

mix	ety, health and environmental regulations/legislation specific for the substance ature ted States (USA) RA
	tion 302 (extremely hazardous substances):
Non	e of the ingredients are listed.
Sec	tion 355 (extremely hazardous substances):
Non	e of the ingredients are listed.
Sec	tion 313 (Specific toxic chemical listings):
Non	e of the ingredients are listed.
TSC	CA (Toxic Substances Control Act)
All i	ngredients are listed.
· Pro	position 65 (California)
	emicals known to cause cancer:
Non	e of the ingredients are listed.
	emicals known to cause reproductive toxicity for females:
Non	e of the ingredients are listed.
· Che	emicals known to cause reproductive toxicity for males:
Non	e of the ingredients are listed.
· Che	emicals known to cause developmental toxicity:
Non	e of the ingredients are listed.
	cinogenic categories
	A (Environmental Protection Agency):
Non	e of the ingredients are listed.
	C (International Agency for Research on Cancer):
Non	e of the ingredients are listed.
NIO	SH-Ca (National Institute for Occupational Safety and Health):
Non	e of the ingredients are listed.
Can	adian Domestic Substances List (DSL):
All i	ngredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision June 30, 2017 / -

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods

(Cont'd. on page 9)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: June 30, 2017

Trade name: Air Tool Oil

Revision: June 30, 2017

(Cont'd. of page 8) DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxique vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety & Health Administration STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 Asp. Tox. 1: Aspiration hazard - Category 1 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com