

# TIREPASTE Mounting Compound

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Date of Issue: 07/16/2024

Version: 1.0

Revision Date: 07/16/2024

## SECTION 1: IDENTIFICATION

### 1.1. Product Identifier

**Product Form:** Mixture

**Product Name:** TIREPASTE Mounting Compound

**Product Code:** 14-700E; 14-701E; 14-702E

### 1.2. Intended Use of the Product

Lubricant / Sealer

### 1.3. Name, Address, and Telephone of the Responsible Party

#### Company

31 Incorporated

100 Enterprise Dr.

Newcomerstown, OH 43832

Phone: (740) 498-8324

info@31inc.com

### 1.4. Emergency Telephone Number

**Emergency Number** : ChemTel LLC

(800)255-3924 (North America)

+1 (813)248-0585 (International)

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the Substance or Mixture

#### GHS-US/CA Classification

Skin Corr. 1C H314

Eye Dam. 1 H318

Full text of hazard classes and H-statements : see section 16

### 2.2. Label Elements

#### GHS-US/CA Labeling

**Hazard Pictograms (GHS-US/CA)** :



**Signal Word (GHS-US/CA)** : Danger

**Hazard Statements (GHS-US/CA)** : H314 - Causes severe skin burns and eye damage.

H318 - Causes serious eye damage.

**Precautionary Statements (GHS-US/CA)** : P260 - Do not breathe dust, fume, vapors.

P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.

P280 - Wear protective gloves, protective clothing, and eye protection.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water .

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor.

P321 - Specific treatment (see section 4 on this SDS).

P363 - Wash contaminated clothing before reuse.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

# TIREPASTE Mounting Compound

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

### 2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

### 2.4. Unknown Acute Toxicity (GHS-US/CA)

No data available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substance

Not applicable

### 3.2. Mixture

| Name   | Synonyms   | Product Identifier   | % *     | GHS Ingredient Classification   |
|--|--|----------------------|---------|---|
| Water  | AQUA   | (CAS-No.) 7732-18-5  | 76.5642 | Not classified  |
| 9,12-Octadecadienoic acid (Z,Z)-, sodium salt                                | Linoleic acid, sodium salt / 9,12-Octadecadienoic acid (9Z,12Z)-, sodium salt / 9,12-Octadecadienoic acid, (Z,Z)-, sodium salt / Sodium linoleate / 9,12-Octadecadienoic acid (9Z,12Z)-, sodium salt (1:1) / Sodium (9Z,12Z)-octadeca-9,12-dienoate  | (CAS-No.) 822-17-3   | 6.3636  | Skin Irrit. 2, H315   |
| Sodium stearate  | Octadecanoic acid, sodium salt / Stearate, sodium / Stearic acid, sodium salt / Octadecanoic acid, sodium salt (1:1) / Sodium octadecanoate / Salt of stearic acid with sodium base  | (CAS-No.) 822-16-2   | 5.5504  | Comb. Dust  |
| Polyethylene glycol  | .alpha.-Hydro-.omega.-hydroxypoly(oxyethylene) / .alpha.-Hydro-.omega.-hydroxypoly(oxy-1,2-ethanediyl) / 1,2-Ethanediol, homopolymer / Ethyleneglycol homopolymer / Ethoxylated 1,2-ethanediol / Ethylene oxide polymer / Macrogol / Macrogols / PEG / PEG-1M / PEG-2M / PEG-5M / PEG-7M / PEG-9 / PEG-9M / PEG-10 / PEG-14 / PEG-14M / PEG-16 / PEG-18 / PEG-20 / PEG-20M / PEG-23M / PEG-25M / PEG-32 / PEG-33 / PEG-40 / PEG-45 / PEG-45M / PEG-55 / PEG-60 / PEG-65M / PEG-75 / PEG-80 / PEG-90 / PEG-90M / PEG-100 / PEG-115M / PEG-135 / PEG-150 / PEG-160M / PEG-180 / PEG-180M / PEG-200 / PEG-220 / PEG-240 / PEG-350 / PEG-400 / PEG-450 / PEG-500 / PEG-800 / Polyethylene glycol 35 / Polyethylene glycol 115 / Polyethylene glycol 400 / Polyethylene glycol 1600 / Polyethylene glycol 6000 / Polyethylene glycol 8000 / Polyethylene glycol esters / Polyethylene glycol ether / Polyethylene glycols / Polyethylene oxide / Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-hydroxy- | (CAS-No.) 25322-68-3 | 5.1515  | STOT SE 3, H335   |
| Sodium hydroxide   | Caustic soda / Sodium hydroxide (Na(OH)) / Lye   | (CAS-No.) 1310-73-2  | 4.2491  | Met. Corr. 1, H290<br>Acute Tox. 4 (Oral), H302<br>Skin Corr. 1A, H314<br>Eye Dam. 1, H318<br>STOT SE 3, H335<br>Aquatic Acute 3, H402<br>Aquatic Chronic 3, H412 |
| 9-Octadecenoic acid (9Z)-, compound with 2,2',2''-nitrilotris[ethanol] (1:1) | Ethanol, 2,2',2''-nitrilotri-, mixed with oleic acid (1:1) / Ethanol, 2,2',2''-nitrilotri-, oleate (salt) / 9-Octadecenoic acid (Z)-, compound with 2,2',2''-nitrilotris[ethanol] (1:1) / 9-Octadecenoic acid, (Z)-, compound with 2,2',2''-nitrilotris[ethanol] (1:1) / Oleic acid, compound with 2,2',2''-nitrilotriethanol (1:1) / Triethanolamine oleate / Salt of 2,2',2''-nitrilotriethanol and (Z)-octadec-9-enoic acid (1:1) / Oleic acid, triethanolamine salt / Oleic acid, triethanolamine soap / TEA-oleate  | (CAS-No.) 2717-15-9  | 2.1212  | Not classified  |

Full text of H-phrases: see section 16

\*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

# TIREPASTE Mounting Compound

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of First-aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.

**Skin Contact:** Immediately remove contaminated clothing. Immediately flush skin with plenty of water for at least 30 minutes. Get immediate medical advice/attention.

**Eye Contact:** Immediately rinse with water for at least 30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

**General:** Causes severe skin burns and eye damage.

**Inhalation:** May be corrosive to the respiratory tract.

**Skin Contact:** Causes severe irritation which will progress to chemical burns.

**Eye Contact:** Causes permanent damage to the cornea, iris, or conjunctiva.

**Ingestion:** May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

**Chronic Symptoms:** Prolonged skin contact may result in severe irritation leading to chemical burns.

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Water spray, dry chemical, foam, carbon dioxide.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Not considered flammable but may burn at high temperatures.

**Explosion Hazard:** Product is not explosive. Contains substances that are combustible dusts. If dried and allowed to accumulate, may form combustible dust concentrations in air that could ignite and cause an explosion. Take appropriate precautions.

**Reactivity:** Hazardous reactions are not expected to occur under normal conditions.

### 5.3. Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Carbon oxides (CO, CO<sub>2</sub>).

### 5.4. Reference to Other Sections

Refer to Section 9 for flammability properties.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Do not breathe dust or fumes. Do not get in eyes, on skin, or on clothing.

#### 6.1.1. For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protective equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

### 6.2. Environmental Precautions

Prevent entry to sewers and public waters.

### 6.3. Methods and Materials for Containment and Cleaning Up

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all directions.

# TIREPASTE Mounting Compound

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

**Precautions for Safe Handling:** Do not breathe dust, fume, vapors. Do not get in eyes, on skin, or on clothing. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Handle empty containers with care because they may still present a hazard.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures.

### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store in original container or corrosive resistant and/or lined container. Store locked up/in a secure area.

**Incompatible Materials:** Aluminum. Strong acids.

### 7.3. Specific End Use(s)

Lubricant / Sealer

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

| <b>Sodium stearate (822-16-2)</b>       |                     |  |
|---|---------------------|--|
| <b>USA ACGIH</b>                        | ACGIH OEL TWA       | 10 mg/m <sup>3</sup> (inhalable particulate matter (Stearates))<br>3 mg/m <sup>3</sup> (respirable particulate matter (Stearates))   |
| <b>British Columbia</b>                 | OEL TWA             | 10 mg/m <sup>3</sup> (Stearates)   |
| <b>Manitoba</b>                         | OEL TWA             | 10 mg/m <sup>3</sup> (inhalable particulate matter (Stearates))<br>3 mg/m <sup>3</sup> (respirable particulate matter (Stearates))   |
| <b>Newfoundland &amp; Labrador</b>      | OEL TWA             | 10 mg/m <sup>3</sup> (inhalable particulate matter (Stearates))<br>3 mg/m <sup>3</sup> (respirable particulate matter (Stearates))   |
| <b>Nova Scotia</b>                      | OEL TWA             | 10 mg/m <sup>3</sup> (inhalable particulate matter (Stearates))<br>3 mg/m <sup>3</sup> (respirable particulate matter (Stearates))   |
| <b>Ontario</b>                          | OEL TWA             | 10 mg/m <sup>3</sup> (except stearates of toxic metals-inhalable particulate matter)<br>3 mg/m <sup>3</sup> (except stearates of toxic metals-respirable particulate matter) |
| <b>Prince Edward Island</b>             | OEL TWA             | 10 mg/m <sup>3</sup> (inhalable particulate matter (Stearates))<br>3 mg/m <sup>3</sup> (respirable particulate matter (Stearates))   |
| <b>Québec</b>                           | VEMP (OEL TWA)      | 10 mg/m <sup>3</sup> (Stearates)   |
| <b>Polyethylene glycol (25322-68-3)</b> |                     |  |
| <b>USA AIHA</b>                         | WEEL TWA            | 10 mg/m <sup>3</sup> (molecular weight>200-aerosol)  |
| <b>Sodium hydroxide (1310-73-2)</b>     |                     |  |
| <b>USA ACGIH</b>                        | ACGIH OEL Ceiling   | 2 mg/m <sup>3</sup>  |
| <b>USA OSHA</b>                         | OSHA PEL (TWA) [1]  | 2 mg/m <sup>3</sup>  |
| <b>USA NIOSH</b>                        | NIOSH REL (Ceiling) | 2 mg/m <sup>3</sup>  |
| <b>USA IDLH</b>                         | IDLH                | 10 mg/m <sup>3</sup>   |
| <b>Alberta</b>                          | OEL C               | 2 mg/m <sup>3</sup>  |
| <b>British Columbia</b>                 | OEL C               | 2 mg/m <sup>3</sup>  |
| <b>Manitoba</b>                         | OEL C               | 2 mg/m <sup>3</sup>  |
| <b>New Brunswick</b>                    | OEL C               | 2 mg/m <sup>3</sup>  |
| <b>Newfoundland &amp; Labrador</b>      | OEL C               | 2 mg/m <sup>3</sup>  |
| <b>Nova Scotia</b>                      | OEL C               | 2 mg/m <sup>3</sup>  |
| <b>Nunavut</b>                          | OEL C               | 2 mg/m <sup>3</sup>  |

# TIREPASTE Mounting Compound

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

|                       |                       |                     |
|-----------------------|-----------------------|---------------------|
| Northwest Territories | OEL C                 | 2 mg/m <sup>3</sup> |
| Ontario               | OEL C                 | 2 mg/m <sup>3</sup> |
| Prince Edward Island  | OEL C                 | 2 mg/m <sup>3</sup> |
| Québec                | Plafond (OEL Ceiling) | 2 mg/m <sup>3</sup> |
| Saskatchewan          | OEL C                 | 2 mg/m <sup>3</sup> |
| Yukon                 | OEL C                 | 2 mg/m <sup>3</sup> |

### 8.2. Exposure Controls

**Appropriate Engineering Controls:** Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

**Personal Protective Equipment:** Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.



**Materials for Protective Clothing:** Chemically resistant materials and fabrics.

**Hand Protection:** Wear protective gloves.

**Eye and Face Protection:** Chemical goggles or safety glasses.

**Skin and Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

**Other Information:** When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

|  |                  |
|--|------------------|
| Physical State                         | : Liquid         |
| Appearance                             | : Pasty white    |
| Odor                                   | : Not available  |
| Odor Threshold                         | : Not available  |
| pH                                     | : Alkaline       |
| Evaporation Rate                       | : Not available  |
| Melting Point                          | : Not available  |
| Freezing Point                         | : Not available  |
| Boiling Point                          | : Not available  |
| Flash Point                            | : Not available  |
| Auto-ignition Temperature              | : Not available  |
| Decomposition Temperature              | : Not available  |
| Flammability (solid, gas)              | : Not applicable |
| Lower Flammable Limit                  | : Not available  |
| Upper Flammable Limit                  | : Not available  |
| Vapor Pressure                         | : Not available  |
| Relative Vapor Density at 20°C         | : Not available  |
| Relative Density                       | : Not available  |
| Specific Gravity                       | : Not available  |
| Solubility                             | : Not available  |
| Partition Coefficient: N-Octanol/Water | : Not available  |
| Viscosity                              | : Not available  |

## SECTION 10: STABILITY AND REACTIVITY

**10.1. Reactivity:** Hazardous reactions are not expected to occur under normal conditions.

**10.2. Chemical Stability:** Stable under recommended handling and storage conditions (see section 7).

# TIREPASTE Mounting Compound

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

- 10.3. Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- 10.4. Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, and incompatible materials.
- 10.5. Incompatible Materials:** Aluminum. Strong acids.
- 10.6. Hazardous Decomposition Products:** Thermal decomposition may produce: Carbon oxides (CO, CO<sub>2</sub>).

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on Toxicological Effects - Product

**Acute Toxicity (Oral):** Not classified

**Acute Toxicity (Dermal):** Not classified

**Acute Toxicity (Inhalation):** Not classified

**LD50 and LC50 Data:** Not available

**Skin Corrosion/Irritation:** Causes severe skin burns.

**pH:** Alkaline

**Eye Damage/Irritation:** Causes serious eye damage.

**pH:** Alkaline

**Respiratory or Skin Sensitization:** Not classified

**Germ Cell Mutagenicity:** Not classified

**Carcinogenicity:** Not classified

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Reproductive Toxicity:** Not classified

**Specific Target Organ Toxicity (Single Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** May be corrosive to the respiratory tract.

**Symptoms/Injuries After Skin Contact:** Causes severe irritation which will progress to chemical burns.

**Symptoms/Injuries After Eye Contact:** Causes permanent damage to the cornea, iris, or conjunctiva.

**Symptoms/Injuries After Ingestion:** May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

**Chronic Symptoms:** Prolonged skin contact may result in severe irritation leading to chemical burns.

### 11.2. Information on Toxicological Effects - Ingredient(s)

**LD50 and LC50 Data:**

| Polyethylene glycol (25322-68-3) |           |
|----------------------------------|-----------|
| LD50 Oral Rat                    | 22 g/kg   |
| LD50 Dermal Rabbit               | > 20 g/kg |
| Sodium hydroxide (1310-73-2)     |           |
| LD50 Oral Rat                    | 325 mg/kg |

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Ecology - General:** Not classified.

| Sodium stearate (822-16-2)   |   |
|------------------------------|---|
| NOEC Chronic Crustacea       | 0.48 mg/l   |
| Sodium hydroxide (1310-73-2) |   |
| LC50 Fish 1                  | 45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) |
| EC50 - Crustacea [1]         | 40 mg/l   |

### 12.2. Persistence and Degradability

| TIREPASTE Mounting Compound   |                  |
|-------------------------------|------------------|
| Persistence and Degradability | Not established. |

### 12.3. Bioaccumulative Potential

| TIREPASTE Mounting Compound |                  |
|-----------------------------|------------------|
| Bioaccumulative Potential   | Not established. |

**12.4. Mobility in Soil** Not available

### 12.5. Other Adverse Effects

**Other Information:** Avoid release to the environment.

# TIREPASTE Mounting Compound

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste Disposal Recommendations:** Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

**Ecology - Waste Materials:** Avoid release to the environment.

## SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

### 14.1. In Accordance with DOT

Proper Shipping Name : SODIUM HYDROXIDE SOLUTION  
Hazard Class : 8  
Identification Number : UN1824  
Label Codes : 8  
Packing Group : III  
ERG Number : 154



### 14.2. In Accordance with IMDG

Proper Shipping Name : SODIUM HYDROXIDE SOLUTION  
Hazard Class : 8  
Identification Number : UN1824  
Label Codes : 8  
Packing Group : III  
EmS-No. (Fire) : F-A  
EmS-No. (Spillage) : S-B



### 14.3. In Accordance with IATA

Proper Shipping Name : SODIUM HYDROXIDE SOLUTION  
Hazard Class : 8  
Identification Number : UN1824  
Label Codes : 8  
Packing Group : III  
ERG Code (IATA) : 8L



### 14.4. In Accordance with TDG

Proper Shipping Name : SODIUM HYDROXIDE SOLUTION  
Hazard Class : 8  
Identification Number : UN1824  
Label Codes : 8  
Packing Group : III



## SECTION 15: REGULATORY INFORMATION

### 15.1. US Federal Regulations

|   |   |
|---|---|
| <b>TIREPASTE Mounting Compound</b>  |   |
| <b>SARA Section 311/312 Hazard Classes</b>                                | Health hazard - Serious eye damage or eye irritation<br>Health hazard - Skin corrosion or Irritation        |
| <b>Water (7732-18-5)</b>  |   |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |   |
| <b>9,12-Octadecadienoic acid (Z,Z)-, sodium salt (822-17-3)</b>           |   |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |   |
| <b>Sodium stearate (822-16-2)</b>   |   |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |   |
| <b>Polyethylene glycol (25322-68-3)</b>                                   |   |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |   |
| <b>EPA TSCA Regulatory Flag</b>   | XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711). |

# TIREPASTE Mounting Compound

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

|   |         |
|---|---------|
| <b>Sodium hydroxide (1310-73-2)</b>   |         |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory                       |         |
| <b>CERCLA RQ</b>  | 1000 lb |
| <b>9-Octadecenoic acid (9Z)-, compound with 2,2',2''-nitrilotris[ethanol] (1:1) (2717-15-9)</b> |         |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory                       |         |

### 15.2. US State Regulations

|   |
|---|
| <b>Sodium hydroxide (1310-73-2)</b>                                   |
| U.S. - New Jersey - Right to Know Hazardous Substance List            |
| U.S. - Pennsylvania - RTK (Right to Know) List                        |
| U.S. - Massachusetts - Right To Know List                             |
| U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List |

### 15.3. Canadian Regulations

|   |
|---|
| <b>Water (7732-18-5)</b>  |
| Listed on the Canadian DSL (Domestic Substances List)   |
| <b>9,12-Octadecadienoic acid (Z,Z)-, sodium salt (822-17-3)</b>                                 |
| Listed on the Canadian DSL (Domestic Substances List)   |
| <b>Sodium stearate (822-16-2)</b>   |
| Listed on the Canadian DSL (Domestic Substances List)   |
| <b>Polyethylene glycol (25322-68-3)</b>   |
| Listed on the Canadian DSL (Domestic Substances List)   |
| <b>Sodium hydroxide (1310-73-2)</b>   |
| Listed on the Canadian DSL (Domestic Substances List)   |
| <b>9-Octadecenoic acid (9Z)-, compound with 2,2',2''-nitrilotris[ethanol] (1:1) (2717-15-9)</b> |
| Listed on the Canadian DSL (Domestic Substances List)   |

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Date of Preparation or Latest Revision** : 07/16/2024

### Other Information

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.

### GHS Full Text Phrases:

|                     |  |
|---------------------|--|
| Acute Tox. 4 (Oral) | Acute toxicity (oral) Category 4   |
| Aquatic Acute 3     | Hazardous to the aquatic environment - Acute Hazard Category 3                             |
| Aquatic Chronic 3   | Hazardous to the aquatic environment - Chronic Hazard Category 3                           |
| Comb. Dust          | Combustible Dust   |
| Eye Dam. 1          | Serious eye damage/eye irritation Category 1   |
| Met. Corr. 1        | Corrosive to metals Category 1   |
| Skin Corr. 1A       | Skin corrosion/irritation Category 1A  |
| Skin Corr. 1C       | Skin corrosion/irritation Category 1C  |
| Skin Irrit. 2       | Skin corrosion/irritation Category 2   |
| STOT SE 3           | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |
| H290                | May be corrosive to metals   |
| H302                | Harmful if swallowed   |
| H314                | Causes severe skin burns and eye damage  |
| H315                | Causes skin irritation   |
| H318                | Causes serious eye damage  |
| H335                | May cause respiratory irritation   |
| H402                | Harmful to aquatic life  |
| H412                | Harmful to aquatic life with long lasting effects  |



# TIREPASTE Mounting Compound

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

---

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

NA GHS SDS 2015 (Can, US)