acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: June 30, 2017 Revision: June 30, 2017

1 Identification

· Product identifier

Trade name: <u>Lubricant</u>
 Article number: 12-350

• CAS Number: 8009-03-8

· Recommended use and restriction on use

· Recommended use: Lubricant

· Restrictions on use: No relevant information available.

· Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

31 Incorporated 100 Enterprise Dr.

Newcomerstown, OH 43832 Phone: (740) 498-8324

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America) +1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

The substance is not classified as hazardous according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements None.
- · Hazard pictograms: None.
- · Signal word: None.
- · Hazard statements: None.
- · Precautionary statements: None.
- · Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- CAS No. Description 8009-03-8 Petrolatum
- · Identification number(s)
- · Index number: 649-254-00-X

(Cont'd. on page 2)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: June 30, 2017 Revision: June 30, 2017

Trade name: Lubricant

(Cont'd. of page 1)

4 First-aid measures

Description of first aid measures

· After inhalation:

Unlikely route of exposure.

Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Rinse with warm water.

Seek medical treatment in case of complaints.

· After eye contact:

Rinse opened eye for several minutes under running water.

Seek medical treatment in case of complaints.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

- · Most important symptoms and effects, both acute and delayed: Nausea in case of ingestion.
- · Danger: No relevant information available.
- · Indication of any immediate medical attention and special treatment needed:

No relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fire with alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water stream.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information: No relevant information available.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

For large spills, wear protective clothing.

Particular danger of slipping on leaked/spilled product.

· Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

(Cont'd. on page 3)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: June 30, 2017 Revision: June 30, 2017

Trade name: Lubricant

(Cont'd. of page 2)

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling
- · Precautions for safe handling:

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

- · Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions: Keep containers tightly sealed.
- · Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Avoid close or long term contact with the skin.

Keep away from foodstuffs, beverages and feed.

- Engineering controls: Provide adequate ventilation.
- · Breathing equipment:

Not required under normal conditions of use.

For spills, respiratory protection may be advisable.

Protection of hands:

Not required under normal conditions of use.

Protection may be required for spills.

· Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

(Cont'd. on page 4)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: June 30, 2017 Revision: June 30, 2017

Trade name: Lubricant

(Cont'd. of page 3)

· Body protection:

Not required under normal conditions of use.

Protection may be required for spills.

- · Limitation and supervision of exposure into the environment No special requirements.
- · Risk management measures No special requirements.

9 Physical and chemical properties			
· Information on basic physical and chemical properties			
· Appearance:	• •		
Form:	Pasty		
Color:	White		
· Odor:	Weak, characteristic		
· Odor threshold:	Not determined.		
· pH-value:	Not determined.		
 Melting point/Melting range: 	Not determined.		
· Boiling point/Boiling range:	343 °C (649 °F)		
· Flash point:	>94 °C (>201 °F) (Reported)		
· Flammability (solid, gaseous):	Not applicable.		
· Auto-ignition temperature:	Not determined.		
· Decomposition temperature:	Not determined.		
· Danger of explosion:	Product does not present an explosion hazard.		
· Explosion limits			
Lower:	Not determined.		
Upper:	Not determined.		
· Vapor pressure:	Not determined.		
· Density at 20 °C (68 °F):	0.86 g/cm³ (7.177 lbs/gal)		
· Relative density:	Not determined.		
· Vapor density:	Not determined.		
· Evaporation rate:	Not determined.		
· Solubility in / Miscibility with			
Water:	Not miscible or difficult to mix.		
· Partition coefficient (n-octanol/water): Not determined.			
· Viscosity			
Dynamic:	Not determined.		
Kinematic:	Not determined.		
 Other information 	No relevant information available.		

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: June 30, 2017 Revision: June 30, 2017

Trade name: Lubricant

(Cont'd. of page 4)

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability:
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong oxidizing agents.

- · Conditions to avoid Excessive heat and contact with oxidizers.
- · Incompatible materials Oxidizing agents
- · Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

Hydrocarbons

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: No irritant effect.
- · On the eye: Based on available data, the classification criteria are not met.
- · Sensitization: No sensitizing effects known.
- IARC (International Agency for Research on Cancer):

Substance is not listed.

NTP (National Toxicology Program):

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration):

Substance is not listed.

· Probable route(s) of exposure:

Ingestion.

Eve contact.

Skin contact.

- · Acute effects (acute toxicity, irritation and corrosivity): None.
- · Repeated dose toxicity: No relevant information available.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.

(Cont'd. on page 6)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: June 30, 2017 Revision: June 30, 2017

Trade name: Lubricant

(Cont'd. of page 5)

· Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · **Mobility in soil:** No relevant information available.
- · Ecotoxical effects:
- · Remark:

The product is oxygen-consuming. The declared action may be partly caused by lack of oxygen. Due to mechanical actions of the product (e.g. agglutinations), damages may occur.

- · Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Smaller quantities can be disposed of with household waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information		
· UN-Number · DOT, ADR, IMDG, IATA	Not regulated.	
· UN proper shipping name · DOT, ADR, IMDG, IATA	Not regulated.	
		(Cont'd on page 7)

Page: 7/8

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: June 30, 2017 Revision: June 30, 2017

Trade name: Lubricant

		(Cont'd. of page 6)
· Transport hazard class(es)		
· DOT, ADR, IMDG, IATA · Class	Not regulated.	
· Packing group · DOT, ADR, IMDG, IATA	Not regulated.	
Environmental hazardsMarine pollutant:	No	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	of Not applicable.	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- · SARA
- · Section 302 (extremely hazardous substances):

Substance is not listed.

· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act)

Substance is listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency):

Substance is not listed.

(Cont'd. on page 8)

Page: 8/8

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: June 30, 2017 Revision: June 30, 2017

Trade name: Lubricant

(Cont'd. of page 7)

· IARC (International Agency for Research on Cancer):

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

Substance is not listed.

· Canadian Domestic Substances List (DSL):

Substance is listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision June 30, 2017 / -

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxique

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com